



Office of the State Fire Marshal
Fire Engineering and Investigations Division
Flame Retardant Program

LABORATORY	APPROVED TO PERFORM THE FOLLOWING TESTS	EMAIL
<p>DIVERSIFIED TESTING LABORATORIES 336 West Front Street Burlington, NC 27215</p> <p>Contact: Bobby E. Puett (336) 227-7710 (336) 227-1175 (Fax)</p>	<p>19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) 16 CFR, Part 1615 (Children's Sleepwear 0-6x) 16 CFR, Part 1616 (Children's Sleepwear 7-14) CPAI 84 (Small Tents) Accelerated Weathering Water Extraction</p>	<p>bpuett@diversifiedtestinglabs.com</p>
<p>DRYCLEANING & LAUNDRY 14700 Sweitzer Lane Laurel, MD 20707</p> <p>Contact: Mary Scalco (301) 622-1900 (800) 638-2627</p>	<p>19 CCR, Section 1237.1 (Small Scale) Accelerated Weathering</p>	<p>techline@donline.org</p>
<p>SGS NORTH AMERICA INC. 96 Allen Boulevard, Suite D Farmingdale, NY 11735</p> <p>Contact: Robert Brown (631) 293-8944 (631) 293-8956 (Fax)</p>	<p>19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) 16 CFR, Part 1615 (Children's Sleepwear 0-6x) 16 CFR, Part 1616 (Children's Sleepwear 7-14) CPAI 84 (Small Tents) Accelerated Weathering Water Extraction ASTM E-84</p>	<p>Bobby.Brown@sgs.com michael.magee@sgs.com</p>
<p>SGS US TESTING 291 Fairfield Avenue Fairfield, NJ 07004</p> <p>Contact: Linda Dimichino (973) 575-5252 (800) 777-8378</p>	<p>19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) Accelerated Weathering ASTM E-84</p>	<p>Linda.dimichino@sgs.com</p>
<p>QAI LABORATORIES 8385 White Oak Avenue Rancho Cucamonga, CA 91730</p> <p>Contact: Andrew Tan (909) 483-0250, Ext. 210 (909) 483-0336 (Fax)</p>	<p>19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) 16 CFR, Part 1615 (Children's Sleepwear 0-6x) 16 CFR, Part 1616 (Children's Sleepwear 7-14) CPAI 84 (Small Tents) Accelerated Weathering Water Extraction ASTM E-84</p>	<p>atan@qai.org</p>

LABORATORY	APPROVED TO PERFORM THE FOLLOWING TESTS	EMAIL
SOUTHWEST RESEARCH INSTITUTE 6220 Culebra Road San Antonio, TX 78238 Contact: Tim Koebke (210) 522-6975 (210) 522-3377 (Fax)	19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) ASTM E-84	tim.koebke@swri.org
INTERTEK TESTING SERVICES 545 East Algonquin Road, Suite F Arlington Heights, IL 60005 Contact: Duraisamy Ravichandran (847) 439-5667 (847) 439-6156	19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) 19 CCR, Section 1264.2 (Bast/Leaf Materials) 19 CCR, Section 1264.3 (Christmas Trees) Accelerated Weathering Water Extraction	www.intertek.com
INTERTEK TESTING SERVICES 8431 Murphy Drive Middleton, WI 53562 Contact: Mark Crawford (608) 836-4400 (608) 831-9279 (Fax)	19 CCR, Section 1237.1 (Small Scale) 19 CCR, Section 1237.3 (Large Scale) 19 CCR, Section 1264.2 (Bast/Leaf Materials) 19 CCR Sec 1264.3 (Christmas Trees) Accelerated Weathering Water Extraction	Mark.crawford@intertek.com www.intertek.com
APPLIED LAB 553 76th Street SW Byron Center, MI 49315 Formerly known as Textile Testing Contact: Andrew Crowley (616) 559-6123	19 CCR Sec 1237.1(Small Scale)	contact@applied-lab.com

Legend:

ASTM – American Society for Testing and Materials

CCR – California Code of Regulations

CFR – Code of Federal Regulations

CPAI – Canvas Products Association International